



PERFICUT SPILL RESPONSE PLAN

2/3/2022

Business Name: _____

Site Address: _____

Facility Activity Description: _____

It is important that all employees be trained to carry out the spill response actions set forth below and that each employee be familiar with the site plans that shows where hazardous materials, spill kits, SDS information and all potentially susceptible and vulnerable storm drains/catch basins are located.

Response Actions in Case of a Spill:

1. If possible, shut off the source of the spill immediately.
2. Notify spill contact person and other emergency contacts (Owner, Site Manager, etc.).
3. Refer to appropriate SDS for information regarding hazards, hazard controls and first aid.
4. Use appropriate PPE depending on the spill material.
5. Use absorbent materials, such as absorbent pads, floor sweeping compound or kitty litter (found in spill kit) to contain spills that are relatively small in nature and where the spilled chemical and its hazardous properties have been properly identified and assessed.
6. Cover/block any drains/catch basins in the spill area to prevent material from entering into the stormwater system or sanitary/septic system.
7. If possible, clean up the spill using absorbent materials. Collect these absorbent materials and treat as hazardous waste.
8. If the spill is large or otherwise uncontrollable or poses a potential and immediate hazard to human health and safety, call **Emergency Response Agencies** listed below.
9. Complete a **Perficut Incident Report** as soon as the spill is contained. Include all details of the spill and clean-up.

Emergency Contacts:

Site Spill Contact Person: _____ Phone: _____

Account Manager: _____ Phone: _____

Other: _____ Phone: _____

Emergency Response Agencies:

Fire/Police: 911

Iowa DNR Spill Reporting: 515-725-8694

Illinois Emergency Management 217-782-7860

Nebraska DEQ Spill 402-471-2186

List of Hazardous Liquids that May Spill:

_____	_____
_____	_____
_____	_____
_____	_____



PERFICUT SPILL RESPONSE PLAN

2/3/2022
